
Slide Accessories

Tools for Manual Workers

Talk about „image processing“ today and you can be pretty sure that this means using the computer to do it. Here you will find digital photographers, viewing their digitized slides on a digital, virtual light box, sorting, „marking“ and archiving them on their computer desktop. Besides the necessary knowledge and the appropriate computer equipment, a strong hand for the mouse and an agile finger for the mouse click is all the „physical effort“ that is required.

But there
are also the committed
manual workers on the analogue side, who – away from resolution problems and color management discussions – cut and frame their processed slide film, view it with „real“ magnifiers, sort and file it and prepare it for projection. This type of „image processing“ needs the proper tools also, and that’s what we are talking about here.

2167
„diamount C.A.M./CS“ Slide Cutter and Mounter

Convenient cutting and automatic mounting of 35mm transparencies in C.A.M. and C.A.M./CS mounts. Easy and precise cutting with self-sharpening rotary blade in closed plastic housing. The film is automatically held down while cutting. Sprung friction-wheel transport for uniform advance of the film strip right up to the last frame. Illuminated viewing area with format marks and fixing marks to insert the mounted slides. 2.5x fold-up magnifier, completely detachable. Connection for mains adapter 2007 (optional accessory). Supplied with spare bulb (2107).

Battery operated: 2 x 1.5 V C-type (not included)
Bulb: 2.5 V, 0.3 A, E 10, frosted
Dimensions (WxHxD): approx.17 x 8.3 x 11 cm (6.7 x 3.3 x 4.3 in.)

2107, 2108

2007
Mains Adapter

For mains operation of 2005 Slide Viewer and 2167 Slide Cutter and Mounter. Includes replacement lamp 2108 for slide viewer respectively slide cutter and mounter.

Attention: Please use replacement lamp 2108 in connection with mains adapter 2007!



2156-57
C.A.M./CS Slide Mounts

One-piece glassless snap-down slide mount, 5 x 5 cm (2 x 2 in.), as defined in DIN 108, for automatic mounting with C.A.M./CS slide cutters and mounters. Manual mounting is also possible. Clamping strip to secure and accurately position the transparency. Guide rail for exact position of the transparency during automatic mounting. Mount thickness 1.8 mm (0.07 in.). For CS, LKM and Paximat Compact magazines.

2156: Pack of 100
2157: Pack of 200 + 20



2115
„diacut 1“ Slide Cutter

2109

Slide cutter for film cassettes, cartridges size 126 and 35 mm film. Very easy and accurate cut by self-sharpening rotating round blade in closed plastic housing. Film transport roller for exact size positioning at frame line. Size markings for 18 x 24, 24 x 24, 28 x 28, and 24 x 36 mm. Fingertip recesses for easy removel of cut slide. Illuminated viewing zone. Detachable lift-up 2.5 x magnifying glass. Alignment markings for use with mounted slides.

Lamp: 10 W, E 14, pear-shaped
Cord: 1.8 m (6 ft.)
Dimensions: approx. 125 x 95 x 100 mm (4.9 x 3.3 x 3.9 in.)

2158
CS Slide Mount

One-piece glassless snap-down slide mount, 5 x 5 cm (2 x 2 in.), as defined in DIN 108. Clamping strip to secure and accurately position the transparency. Rounded corners for smooth guidance through the projector. Mount thickness 1.8 mm (0.07 in.). For CS, LKM and Paximat Compact magazines. Spacesaving, non-spill slide storage in CS magazines. Pack of 300.



565108
Alfi “dia-clip” Slide Mount

One-piece glassless snap-down slide mount 5 x 5 cm (2 x 2 in.) for manual mounting. Clamping fixture to secure and accurately position the transparency. Can be re-opened. Mount thickness: 3 mm (0.12 in.)

Two packs of 100.



556108
Alfi Slide Mount

Two-piece glassless snap-down slide mount 5 x 5 cm (2 x 2 in.) for manual mounting. Clamping fixture to secure and accurately position the transparency. Can be re-opened using the opener included.
Mount thickness: 2.8 mm (0.11 in.)

Pack of 100.

530809
Alfi “dia-fix” Slide Mount

One-piece snap-down slide mount 5 x 5 cm (2 x 2 in.) with Anti-Newton glass for manual mounting. Clamping fixture to secure and accurately position the transparency.
Can be re-opened.
Mount thickness: 3 mm (0.12 in.)

Packs of 100 in sturdy plastic box.

2021
„diascop modulo“ Slide Viewer

Modular designed multi-purpose slide viewer.

Slide viewer for mounted slides with mounts up to 3 mm (0.1 in.) thick, and for film strips in protective sleeves. Cold light source with high light output on 39 x 39 (1.5 x 1.5 in.) viewing area. Magnifier folds up or folds down flat to the top of the unit.

2.5 x magnifier is detachable for use as a hand-held magnifier or as a desktop magnifier in conjunction with the supplied stand.

The light source is an Osram DULUX MINI torch, that can be removed form the viewer and used separately. It is fitted with a 3 Watt power-economising bulb of 8000 hours service life, luminous intensity: approx. 10000 Lux, Colour temperature: approx. 4000 Kelvin. With fastening clip and ON/OFF switch

Battery operation: 2 x 1.5 AA (Not supplied with the unit)



2003
„diascop 1“ Slide Viewer

2107

Slide viewer with 2x magnifying lens for framed slides, 5 x 5 cm (2 x 2 in.), and uncut film strips in protective sleeves.
On/off switch.

Battery operation: 2 x 1.5 V C-size (supplied without batteries)
Lamp: 2.5 V, .3 amp., E10, spherical
Lens: 76 x 76 mm (3 x 3 in.)
Dimensions (WxHxD): 80 x 160 x 170 mm (3.1 x 6.3 x 6.7 in.)

2005
„diascop 3“ Slide Viewer

2107,
2108

Slide viewer with 3 x magnifying double lens for framed slides, 5 x 5 (2 x 2 in.), and uncut film strips in protective sleeves. Drop chute with collecting tray. On/off switch and connecting socket for mains transformer 2007.

Battery operation: 2 x 1.5 V C-size (supplied without batteries)
Lamp: 2.5 V, .3 amp., E10, spherical
Lens: 76 x 76 mm (3 x 3 in)
Dimensions (WxHxD): 80 x 160 x 170 mm (3.1 x 6.3 x 6.7 in.)

2007
Mains Adapter

For mains operation of 2005 Slide Viewer and 2167 Slide Cutter and Mounter.

2006
„diascop 4“ Slide Viewer

2008

As 2005, but for connecting to mains.

Lamp: 15 W, E 14, pear-shaped
Cord: approx. 1.8 m (6 ft.)
Dimensions (WxHxD): 80 x 160 x 170 mm (3.1 x 6.3 x 6.7 in.)

2015
„diascop 50 N“ Slide Viewer

Slide viewer with 3x magnifying double lens for 5 x 5 cm (2 x 2 in.) framed slides and uncut film strips, change slider for convenient slide changing without annoying bright intervals, drop chute for up to 40 slides. Top section tiltable for adjusting desired viewing angle, mains connection.

Lamp:	15 W, E 14, pear-shaped
Lenses:	76 x 76 mm (3 x 3 in.)
Cord:	1,8 m (6 ft.)
Dimensions: (WxHxD):	approx.150 x 80 x 175 mm (5.9 x 3.1 x 6.9 in.)

2008



2010-11 „diascop mini“ Slide Viewer

Small compact slide viewer for framed slides 5 x 5 cm (2 x 2 in.). With hinged prop.

Required batteries:	2 x 1,5 V AA-size (supplied without batteries)
Lamp:	2,5 V, 0,3 A, E 10, spherical
Lens:	63 x 53 mm (2.5 x 2.1 in.)
Dimensions (WxHxD):	approx. 75 x 60 x 105 mm (3 x 2.4 x 4.1 in.)

2010: with 3-fold magnifying double lens
2011: with 2-fold magnifying lens

2107

2012 Slide Viewer

For framed slides, 5 x 5 cm (2 x 2 in.), and film strips in protective sleeves. Lens diameter 18 mm (.7 in.) Dimensions (WxHxD): approx. 55 x 55 x 60 mm (2.2 x 2.2 x 2.4 in.)



2012

8933
8 x 2012



2139
„hobbylite“ Light Box

Daylight light box for battery and mains operation. With fold-down support, clamping strip and facilities for wall mounting. ON/OFF switch. Supplied with 8 x magnifier and 9 V mains adapter.

Viewing area:	approx. 25 x 15 cm (9.8 x 5.9 in.)
Illumination:	1 x 8 Watt, 5400 Kelvin
Battery operated:	6 x 1.5 V (C) (not included)
Dimensions (WxHxD):	approx. 31 x 6 x 22 cm (12.2 x 2.4 x 8.7 in.)

2133

2035/39
Labelling Pens

Non-smearing, for labelling slide frames, CD ROMs and plastic-coated photo paper. Also suitable for plastic, glass, metal and other smooth surfaces.
Quick-drying.

2035: black
2039: set consisting of one pen in black, red, green and blue

10 pens each in black, red green, blue

40 pens in black

2580/2790
Transparent Slide Storage Pages



2580



2790

For orderly and safe storing and filing of framed slides. Plasticizer-free PP film without chemical effect on the slides. Margin punched with Euro-holes. Dimensions: approx. 250 x 315 mm (9.8 x 12.4 in.)

2580: For twenty 35mm slides in 5 x 5 cm (2 x 2“) frames. Upper and lower side transparent. 10 sheets.

2790: For six 6 x 7 slides in 8.5 x 8.5 cm (3.3 x 3.3“) frames. Upper side transparent, lower side milkwhite. 10 sheets.

2500
Filing Binder

Special-sized 4-ring binder for Kaiser transparent slide sleeves and negative filing sheets.

Dimensions (WxH): approx. 300 x 320 mm (11.8 x 12.6 in.)

Back: approx. 60 mm (2.4 in.), with slide-in spine label.





2203-04
CS Slide Trays

For space-saving, non-spill storage of slides in CS mounts. Suitable for CS-compatible 35mm slide projectors. Two CS slide trays, each one holding 100 slides, in stackable box with transparent lid. Trays and stackable box made of impact-resistant plastic.

Dimensions of the stackable box (WxHxD): approx. 130 x 65 x 300 mm (5.1 x 2.6 x 11.8 in.)

2203: Box with two trays
2204: Two boxes, each with two trays



2207
CS Slide Trays

For space-saving, non-spill storage of slides in CS mounts. Suitable for CS-compatible 35mm slide projectors.
Two CS slide trays, each holding 100 slides, in stackable box with drawer. Trays and stackable box made of impact-resistant plastic.

Dimensions of stackable box (WxHxD): approx. 130 x 65 x 300 mm (5.1 x 2.6 x 11.8 in.)

2217
Universal Slide Trays

For the storage of 35 mm slides. Suitable for most 35 mm slide mounts and for almost all 35 mm slide projectors. Universal slide trays and stacking box made of impact-proof plastic. Stacking box with label field on hinged lid.

Set with 3 stackable boxes, each fitted with 2 universal slide trays for 50 slides each.

Dimensions of stacking box (WxHxD): 130 x 65 x 300 mm (5.1 x 2.6 x 11.8 in.)



2213
Universal DIN Slide Trays

To store mounted 35mm slides. Suitable for most 35mm slide mounts and almost all 35mm slide projectors. Two slide trays, each holding 50 slides, in a stackable box. Trays and stackable box made of impact-resistant plastic. Trays as defined in German standard DIN 108.

Dimensions of stackable box (WxHxD): approx. 130 x 65 x 300 mm (5.1 x 2.6 x 11.8 in.)

2206
Slide Case

Handy case with four CS slide trays, each holding 100 35mm slides in CS or C.A.M./CS mounts. Case and CS slide trays made of impact-resistant plastic.

Dimensions (WxHxD): approx.
300 x 62 x 350 mm (11.8 x 2.4 x 13.8 in.)

2219
Slide Case

Compact case for storing 35 mm slides. With six universal slide trays each for fifty 35 mm slides. Suitable for most slide mounts and for almost all 35 mm slide projectors.

Dimensions (WxHxD): approx.
290 x 63 x 425 mm (11.4 x 2.5 x 16.7 in.)

2218
Slide Archive

For storing 35 mm slides. With ten universal slide trays each for fifty 35 mm slides. Suitable for most slide mounts and for almost all 35 mm slide projectors.

With carrying handle.

Dimensions (WxHxD): approx.
125 x 350 x 287 mm (4.9 x 13.8 x 11.3 in.)



2316
Laser Light Pointer

For beamer presentations, slide, film and overhead projection, screen presentations and non-contact pointing in research, medicine and industry. Sturdy black all-metal pen-shape housing.
Length: approx. 140 mm (5.5 in.)

The bright light dot is clearly visible in daylight.

Wave length 635-670 mm,
output power < 1 mW, safety class 2.

Range approx. 150 m (165 yd.).

Batteries included (2 x 1.5 V AAA-type).

2317
„4Function“ Laser Light Pointer

Multifunctional laser pointer with built-in LED torch, ball pen and PDA stylus pen.

Laser light pointer for beamer presentations, slide, film and overhead projection, screen presentations and non-contact pointing in research, medicine and industry.

Range approx. 100 m (330 ft.). The light spot is clearly visible, also in daylight.

Wave length 625-680 mm,
output power < 1 mW, safety class 2.

Additional functions: a white-light LED pen light, a ball pen and a PDA stylus pen can be selected for operation by turning the front section of the pointer. The reverse end of the PDA stylus can be used as a reset tip tool.

Stylish, matt-finished chrome-plated brass body in ball pen shape.

Total length: approx. 150 mm (5.9 in.)

Weight: approx. 36 g, (1.3 oz.) (incl. batteries)

Supplied with batteries (4 x 1.5 V AA-type) and metal box.